

DEKS[™] RAPID FLASH[®]

Lead Free

Fully Adhesive Base

Reduces Install Time by 50%

Round and Square Penetrations



CREATORS OF THE DEKTIE

EST 1947

Free from lead and other heavy metals

EPDM withstands high temperatures up to 115°C / 239°F

DE<S™ RAPID FLASH®

DEKS Industries was established in 1947. Each and every year its reputation for quality, service and innovation grows.

Headquartered in Melbourne Australia with offices in the United Kingdom and the United states of America.

DEKS Industries lives by the mantra "Innovative, Better, Faster" applying these principles to everything we do. When you purchase a DEKS product you can be assured you're buying the best there is.

Key features:





www.deks.com.au



The Range *Rapid Flash*

Rapid Flash - Round Penetrations

Pipe Size mm	Base Size mm	Part Number
6 - 50	280 x 450	DRF100GB
5 - 127	370 x 560	DRF101GB
50 - 70	370 x 560	DRF102GB
50 - 170	370 x 560	DRF103GB
175 - 330	560 x 850	DRF108GB

Rapid Flash - Square Penetrations

Tube/Post Size mm	Base Size mm	Part Number	
20 - 125	370 x 560	DRF104GB-SQ	

Comes in 6 Dektite[®] sizes to suit all applications.

Related Solutions



DEKS Fast Flash

Flexible, easy to install lead-free flashing.



Dektite[®] Premium A multi-application flashing solution

made with a highly durable EPDM rubber cone.



Dekstrip

An expandable flashing solution for large and curved profiles and penetrations.



Dektite[®] Evap

Purpose designed flashing solution for ductwork supporting evaporative cooler units.



Visit our website to watch our product videos. www.deks.com.au



www.deks.com.au

DE

www.deks.com.au



Version 6.0